

GOVERNMENT OF TELANGANA
ABSTRACT

PR&RD Department - MGNREGS – Rural Standard Schedule of Rates (RSSR) 2020-21 – Revision of wage rate from Rs.211/- to Rs.237/- Orders – Issued.

PANCHAYAT RAJ & RURAL DEVELOPMENT (RD.I) DEPARTMENT

G.O.Rt.No. 168

Dated: 27-04-2020.

Read the following:

1. G.O.Rt.No.240, PR&RD(RD.I) Department, Dt:13-05-2019.
2. Notification of Ministry of Rural Development, Govt. of India, dated:23-03-2020 (Lr.No.J-11011/1/2020-RE-III).
3. From the Commissioner, Rural Development, File No. 186958/CRD-EGS/T1/6/3/2020-Tech, Dated:14-04-2020.

">&&

ORDER:

In the reference 1st read above, Government have issued orders on Rural Standard Schedule of Rates (RSSR) 2019-20 for the unskilled manual task for the works taken up under MGNREGS.

2. In the reference 2nd read above, in exercise of the powers conferred by Sub-section (1) of Section-(6) of MGNREG Act, 2005, the Government of India has notified the wage rate for unskilled manual work taken up under Mahatma Gandhi National Rural Employment Guarantee Scheme (MGNREGS) as Rs.237/- per day.

3. In the reference 3rd read above, the Commissioner, Rural Development, Hyderabad has submitted proposal stating that the Government of India has issued notification by fixing the minimum wage rate under MGNREGS is Rs.237/- for Telangana State with effect from 1st April 2020. Further, as per MGNREG Act 2005, para.17, states that when wages are directly linked with the quantity of work, the wages shall be paid according to the schedule of rates fixed by the State Government for different types of work every year. Accordingly, the Commissioner, Rural Development, Hyderabad has prepared the RSSR 2020-21, in comprehensive with different categories of works taken up under MGNREGS and requested to issue revise orders.

4. After careful examination of the proposal of Commissioner, Rural Development, Hyderabad, Government, hereby revise the wage rate from Rs.211/- to Rs.237/- per day to ensure the revised wage rate to the unskilled wage seekers and order for revision of Rural Standard Schedule of Rates (RSSR) 2020-21 as annexed to the order. The increased rates would be effective from 1st day of April 2020 in supersession of the orders issued in the reference 1st read above.

5. The Commissioner, Rural Development, Hyderabad shall take further necessary action in the matter accordingly as per the RSSR 2020-21.

6. This G.O. is also available on website www.goir.telangana.gov.in.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF TELANGANA)

SANDEEP KUMAR SULTANIA
SECRETARY TO GOVERNMENT

To

The Commissioner, Rural Development, Hyderabad.

All the District Collectors and District Programme Coordinators,

NREGS through Commissioner, RD, Hyderabad.

All the DRDOs, DRDA through Commissioner, RD, Hyderabad.

All the Addl. District Programme Coordinators,

MGNREGS through Commissioner, RD, Hyderabad.

All the Chief Executive Officers, ZPs through Commissioner, RD, Hyderabad.

The Project Officer, ITDA through Commissioner, RD, Hyderabad.

Copy to:

The PS to Principal Secretary to Government, Fin.(W&P) Deptt., Hyderabad.

The PS to Principal Secretary to Government, PR&RD Deptt., Hyderabad.

Cont...

:2:

The PS to Principal Secretary to Government, I&CAD Deptt., Hyderabad.
The PS to Prl. Secretary to Government, Tribal Welfare Deptt., Hyderabad.
The PS to Secretary to Government, TR&B Deptt., Hyderabad.
The PS to Principal Secretary to Government, EFS&T Deptt., Hyderabad.
The PS to Principal Chief Conservator of Forests, Hyderabad
The Commissioner Disaster Management and EO Secy. to Government.
The Chief Executive Officer, TSIRD, Rajendranagar, Hyderabad.
The Commissioner, Tribal Welfare, Hyderabad.
The Engineer-in-Chief, Panchayat Raj Department, Hyderabad.
The Engineer-in-Chief, Irrigation Department, Hyderabad.
The Chief Engineer, Tribal Welfare, Hyderabad.
The Special Officers of NREGS – Telangana Districts
through Commissioner, RD, Hyderabad.
The Superintending Engineers of Panchayat Raj Department to all Districts
in the State through Commissioner, RD, Hyderabad.
The PR&RD (Pts.VIII) Department.
SF/SC.

//FORWARDED::BY ORDER//

SECTION OFFICER

ANNEXURE to G.O.Rt.No.168, PR&RD (RD.I) Department,Dt:27-04-2020.

| Revision of RSSR (2020-21) – Based on increase in Wage rate from Rs.211/- to 237/- | | | | | |
|--|---|--|---|---|---------|
| S. No. | Category | Item of work | Rate approved to ensure mini. wage of Rs.211/- RSSR (2019-20) (G.O.Rt.No.240 PR&RD (RD) Dept., dated 13.05.2019 | Rate to ensure mini. wage of Rs.237/-RSSR (2020-21) | Remarks |
| 1 | | Unskilled labour | 211/- per day | 237/- per day | |
| 2 | Bush clearance | | | | |
| | a | Light shrub | 5.22/- Sqm | 5.86/- Sqm | |
| | b | Medium and Dense Shrub/Besharamm/Rubber plant | 6.61/- Sqm | 7.42/- Sqm | |
| | c | Thin stemmed Juliflora (stem with periphery upto 150 cms)/ thick shrub | 13.13/- Sqm | 14.74/- Sqm | |
| | d | Thick stemmed juliflora (stem with periphery more than 150 cms | 19.70/- Sqm | 22.12/- Sqm | |
| 3 | Removal of stumps | | | | |
| | a | Removal of Stumps of grith 30cms to 99 cms (small stumps) | 137.07/- each | 153.93/- each | |
| | b | Removal of Stumps of grith 100cms to 199 cms (medium stumps) | 171.37/- each | 192.45/- each | |
| | c | Removal of Stumps of grith 200cms to 299 cms (large stumps) | 222.76/- each | 250.16/- each | |
| | d | Removal of Stumps of grith 300cms to 399 cms (large stumps) | 291.32/- each | 327.15/- each | |
| | e | Removal of Stumps of grith 400cms to 499 cms (large stumps) | 377.03/- each | 423.40/- each | |
| | f | Removal of Stumps of grith 500cms to 599 cms (large stumps) | 462.66/- each | 519.57/- each | |
| | | Removal of hycinth up to 30cms thick | 6.51/- Sqm | 7.31/- Sqm | |
| | | Removal of water hycinth of morethan 30cms thick | 8.90/- Sqm | 9.99/- Sqm | |
| 4 | Earth work Excavation and depositing on bank with initial lead of 10mt initial lift of 2.0mts in loamy and clayey black cotton soils, red earth and chowdu soils | | | | |
| | Category-I | | | | |
| | a | Contour bunding/Earthen bunding | 92.23/- Cum | 103.57/- Cum | |
| | | Breaking of clods, tamping 7 sectioning for earthen bunding | 31.61/- Cum | 35.50/- Cum | |
| | b | Terrasing in Hill / slope areas | 158.56/- Cum | 178.06/- Cum | |
| | c | Land leveling | | | |
| | d | conservative furrows | | | |
| | Category-II | | | | |
| | a | Mini Percolation tank / Percolation tank | 141.21/- Cum | 158.58/- Cum | |
| | b | Recharge of dried up open well | | | |
| | c | Desilting and Deepening of existing check dams / percolation tanks | | | |
| | d | Rockfill dams, Gully control works, Loose boulder structure | | | |
| | e | Check dam/Check wall | | | |
| | Category-III | | | | |
| | a | Boundry Trench | 188.26/- Cum | 211.42/- Cum | |
| | | Trench - Cum – Bund | | | |
| | | Silo Pit | | | |
| | | Compost pit | | | |
| | | Cattle proof trenches | | | |

| | | | | | |
|---|--|-----------------------------|--------------|--|--|
| | f | Periphery trench in MI tank | | | |
| Category-IV | | | | | |
| a | Desilting of open well | 123.88/- Cum | 139.12/- Cum | | |
| b | Desilting of drinking water Tanks / Cattle ponds | | | | |
| c | earth work excavation of silt tank beds (silt application) | | | | |
| Category-V | | | | | |
| a | Formation of approach roads | 158.56/- Cum | 178.06/- Cum | | |
| b | MI Tanks | | | | |
| c | Flood bund | | | | |
| d | Filling up of Low lying and Water Logged Areas in Housing colonies | | | | |
| e | New Feeder channel / field channel | | | | |
| f | construction of Drains | | | | |
| g | Closer of abandoned open well | | | | |
| Category-VI | | | | | |
| a | staggered trenches, Continuous Contour trenches | 238.37/- Cum | 267.69/- Cum | | |
| b | water Absorption trench at foot hills | | | | |
| c | Farm pond/Dugout pond/sunken pit/ Digging of New open well | 267.90/- Cum | 300.85/- Cum | | |
| d | Dumping yard | 269.99/- Cum | 303.20/- Cum | | |
| Category-VII | | | | | |
| a | 0.9mtsX0.9mtsX0.9mts size pit | 179.27/- Cum | 201.32/- Cum | | |
| b | 0.6mtsX0.6mtsX0.6mts size pit | | | | |
| c | 0.45mtsX0.45mtsX0.45mts size pit | | | | |
| b | 0.3mtsX0.3mtsX0.3mts size pit | 158.18/- Cum | 177.64/- Cum | | |
| Earth work Excavation and depositing on bank with initial lead of 10mt initial lift of 2.0mts in Hard soils like gravel, moram | | | | | |
| Category-I | | | | | |
| a | Contour bunding/Earthen bunding | 115.98/- Cum | 130.25/- Cum | | |
| | Breaking of clods, tamping 7 sectioning for earthen bunding | 36.88/- Cum | 41.42/- Cum | | |
| b | Terrasing in Hill / slope areas | 195.70/- Cum | 219.77/- Cum | | |
| c | Land leveling | | | | |
| d | conservative furrows | | | | |
| Category-II | | | | | |
| a | Mini Percolation tank / Percolation tank | 174.28/- Cum | 195.72/- Cum | | |
| b | Recharge of dried up open well | | | | |
| c | Desilting and Deepening of existing check dams / percolation tanks | | | | |
| d | Rockfill dams, Gully control works, Loose boulder structure | | | | |
| e | Check dam/Check wall | | | | |
| Category-III | | | | | |
| a | Boundary Trench | 197.21/- Cum | 221.47/- Cum | | |
| b | Trench - Cum – Bund | | | | |
| c | Silo Pit | | | | |
| d | Compost pit | | | | |
| e | Cattle proof trenches | | | | |
| f | Periphery trench in MI tank | | | | |
| Category-IV | | | | | |
| a | Formation of approach roads | 195.69/- Cum | 219.76/- Cum | | |
| b | MI Tanks | | | | |

| | | | | | |
|---|--|--|--------------|--------------|--|
| | c | Flood bund | | | |
| | d | Filling up of Low lying and Water Logged Areas in Housing colonies | | | |
| | e | new Feeder channel / field channel | | | |
| | f | construction of Drains | | | |
| | g | Closer of abandoned open well | | | |
| | Category-V | | | | |
| | a | staggered trenches, Continuous Contour trenches | 268.13/- Cum | 301.11/- Cum | |
| | b | water Absorption trench at foot hills | | | |
| | c | Farm pond/Dugout pond/sunken pit/ Digging of New open well | 304.74/- Cum | 342.22/- Cum | |
| | d | Dumping yard | 303.72/- Cum | 341.08/- Cum | |
| | Category-VII | | | | |
| | a | 0.9mtsX0.9mtsX0.9mts size pit | 203.00/- Cum | 227.97/- Cum | |
| | | 0.6mtsX0.6mtsX0.6mts size pit | | | |
| | | 0.45mtsX0.45mtsX0.45mts size pit | | | |
| | b | 0.3mtsX0.3mtsX0.3mts size pit | 179.27/- Cum | 201.32/- Cum | |
| | Earth work Excavation and depositing on bank with initial lead of 10mt initial lift of 2.0mts in soils mixure of gravel, pebble and soft disintegrated rock like shales ordinary gravel, stoney earth and earth mixed with fair sized boulders. | | | | |
| | Category-I | | | | |
| | a | Contour bunding/Earthen bunding | 126.53/- Cum | 142.09/- Cum | |
| | | Breaking of clods, tamping 7 sectioning for earthen bunding | 42.16/- Cum | 47.35/- Cum | |
| | b | Terrasing in Hill / slope areas | 215.98/- Cum | 242.55/- Cum | |
| | c | Land leveling | | | |
| | d | conservative furrows | | | |
| | Category-II | | | | |
| 6 | a | Mini Percolation tank / Percolation tank | 192.34/- Cum | 216.00/- Cum | |
| | b | Recharge of dried up open well | | | |
| | c | Desilting and Deepening of existing check dams / percolation tanks | | | |
| | d | Rockfill dams, Gully control works, Loose boulder structure | | | |
| | e | Check dam/Check wall | | | |
| | Category-III | | | | |
| | a | Boundry Trench | 208.81/- Cum | 234.49/- Cum | |
| | b | Trench - Cum – Bund | | | |
| | c | Silo Pit | | | |
| | d | Compost pit | | | |
| | e | Cattle proof trenches | | | |
| | f | Periphery trench in MI tank | | | |
| | Category-IV | | | | |
| | a | Formation of approach roads | 215.96/- Cum | 242.52/- Cum | |
| | b | MI Tanks | | | |
| | c | Flood bund | | | |
| | d | Filling up of Low lying and Water Logged Areas in Housing colonies | | | |
| | e | New Feeder channel / field channel | | | |
| | f | construction of Drains | | | |
| | g | Closer of abandoned open well | | | |
| | Category-V | | | | |
| | a | staggered trenches, Continuous Contour trenches | 262.17/- Cum | 294.42/- Cum | |

| | | | | | |
|--|--|--|-----------------------------|-----------------------------|--|
| | b | water Absorption trench at foot hills | | | |
| | c | Farm pond/Dugout pond/sunken pit/ Digging of New open well | 329.73/- Cum | 370.29/- Cum | |
| | d | Dumping yard | 296.96/- Cum | 333.49/- Cum | |
| Category-VII | | | | | |
| | a | 0.9mtsX0.9mtsX0.9mts size pit 0.6mtsX0.6mtsX0.6mts size pit 0.45mtsX0.45mtsX0.45mts size pit | 210.95/- Cum | 236.90/- Cum | |
| | b | 0.3mtsX0.3mtsX0.3mts size pit | 189.82/- Cum | 213.17/- Cum | |
| Earth work Excavation and depositing on bank with initial lead of 10mt initial lift of 2.0mts in soft disintegrated rock soils 9removable by pick axes and crow bars) | | | | | |
| Category-I | | | | | |
| | a | Contour bunding/Earthen bunding Breaking of clods, tamping 7 sectioning for earthen bunding | 237.28/- Cum 47.44/- Cum | 266.47/- Cum 53.28/- Cum | |
| | b | Terrasing in Hill / slope areas | 303.72/- Cum | 341.08/- Cum | |
| | c | Land leveling | | | |
| | d | conservative furrows | | | |
| Category-II | | | | | |
| | a | Mini Percolation tank / Percolation tank | 270.50/- Cum | 303.77/- Cum | |
| | b | Recharge of dried up open well | | | |
| | c | Desilting and Deepening of existing check dams / percolation tanks | | | |
| | d | Rockfill dams, Gully control works, Loose boulder structure | | | |
| | e | Check dam/Check wall | | | |
| Category-III | | | | | |
| 7 | a | Boundry Trench | 261.01/- Cum | 293.11/- Cum | |
| | b | Trench - Cum – Bund | | | |
| | c | Silo Pit | | | |
| | d | Compost pit | | | |
| | e | Cattle proof trenches | | | |
| | f | Periphery trench in MI tank | | | |
| Category-IV | | | | | |
| | a | staggered trenches, Continuous Contour trenches | 297.92/- Cum | 334.56/- Cum | |
| | b | water Absorption trench at foot hills | | | |
| | c | Farm pond/Dugout pond/sunken pit/ Digging of New open well | | | |
| | d | Dumping yard | 334.83/- Cum | 376.01/- Cum | |
| Category-V | | | | | |
| | a | Formation of approach roads | 303.72/- Cum | 341.08/- Cum | |
| | b | MI Tanks | | | |
| | c | Flood bund | | | |
| | d | Filling up of Low lying and Water Logged Areas in Housing colonies | | | |
| | e | new Feeder channel / field channel | | | |
| | f | construction of Drains | | | |
| | g | Closer of abandoned open well | | | |
| Earth work Excavation nad depositing on bank with initial lead of 10mt and initial liftof 2mt in silt in canals, Channels and drains | | | | | |
| 8 | a | Fedder/field channel and irrigation drains up to 1.0mt depth | 92.23/- Cum | 103.57/- Cum | |
| | b | Renovation of spring channels | | | |
| 9 | Earth work excvation and depositing on bank with initial lead 10mt and initial lift of 2mt in silt in sandy soils or loose soils/wet sand not under water | | | | |

| | | | | | |
|--|---|--|----------------------|----------------------|--|
| | a | Land levelling for land development and flood control project | 69.69/- Cum | 78.26/- Cum | |
| 10 | a | Benching with 0.45mX0.45m size and above initial lead of 10m | 31.61/- Cum | 35.50/- Cum | |
| Carrying of earth / gravel by head loads - Leads &Lift | | | | | |
| 11 | a | For every additional lead of 10mt over and above initial lead of 10mts | 26.34/- Cum | 29.58/- Cum | |
| | b | For every additional lift of 1mt over and above initial lift of 2mts | 26.34/- Cum | 29.58/- Cum | |
| Conveyance of silt, carted earth, stable casing soil and gravel excluding loading and unloading | | | | | |
| 12 | a | Up to 1km | 34.94/- Cum | 39.24/- Cum | |
| | b | 2km | 48.92/- Cum | 54.94/- Cum | |
| | c | 3km | 65.35/- Cum | 73.39/- Cum | |
| | d | 4km | 79.34/- Cum | 89.10/- Cum | |
| | e | 5km | 93.31/- Cum | 104.79/- Cum | |
| | f | 6km | 107.28/- Cum | 120.48/- Cum | |
| | g | 7km | 121.28/- Cum | 136.20/- Cum | |
| | h | 8km | 135.25/- Cum | 151.89/- Cum | |
| | i | 9km | 142.00/- Cum | 159.47/- Cum | |
| | j | 10km | 147.15/- Cum | 165.25/- Cum | |
| 13 | | labour charges for Spreading of silt unloading by tractor in the field | 25.60/- Cum | 28.75/- Cum | |
| 14 | | Labour Charges for breaking clods, trimming, sectioning, and manual compaction using Dammisa | 26.12/- Cum | 29.33/- Cum | |
| Pebble bunding | | | | | |
| 15 | a | Small stone (size more than 40mm) bunding Labour charges for collecting and putting as bund only | 276.84/- Cum | 310.89/- Cum | |
| Stone Revetment (Un skilled) | | | | | |
| 16 | a | Labour charges for revetment for all type of works | 460.29/- Cum | 516.91/- Cum | |
| Rough Stone Dry Packing & Stone Pitching (Un skilled) | | | | | |
| 17 | a | RockFill Dam, Stone Checks & Stone outlets - labour charges for packing only | 263.65/- Cum | 296.08/- Cum | |
| | b | Stone Terracing - Labour charges for packing only | 263.65/- Cum | 296.08/- Cum | |
| Plantation works | | | | | |
| Category-I | | | | | |
| 18 | a | Survey and demarcation | 34.22/- per 100 nos | 38.43/- per 100 nos | |
| | b | Alignment and fixing of planting point with 0.45 meter length sticks | 98.78/- per 100 nos | 110.95/- per 100 nos | |
| | c | 0.45 mt sticks preparation and transpotation at site | 52.68/- per 100 nos | 59.17/- per 100 nos | |
| | d | i) internal transpotation of bag plants to planting point (5"X9") | 52.68/- per 100 nos | 59.17/- per 100 nos | |
| | | ii) internal transpotation of Avenue Plantation. Tall plants | 204.58/- per 100 nos | 229.78/- per 100 nos | |
| | e | Refilling of pits and planting, stacking | | | |
| | | i) 0.3X0.3X0.3 size pit | 1.22/- each | 1.37/- each | |
| | | ii) 0.45X0.45X0.45 size pit | 3.86/- each | 4.33/- each | |
| | | iii) 0.6X0.6X0.6 size pit | 7.85/- each | 8.82/- each | |
| | | iv) 0.9X0.9X0.9 size pit | 11.77/- each | 13.22/- each | |
| | | v) 1.0X1.0X1.0 size pit | 13.12/- each | 14.73/- each | |
| Soil working and weeding | | | | | |

| | | | | | |
|----|--|--|--|--|---|
| | Category-I (1m dia and 0.1m depth) | | | | |
| | a | Avenue Plantation | 13.12/- each | 14.73/- each | |
| | b | Horticulture | 13.12/- each | 14.73/- each | |
| | Category -II (0.5m dia and 0.1m Depth) | | | | |
| | a | Fore shore plantation | 3.87/- each | 4.35/- each | |
| | b | B.H.Afforestation | 3.87/- each | 4.35/- each | |
| | c | Bio Diesel Plantation & Block plantation | 3.87/- each | 4.35/- each | |
| | Causality replacement for | | | | |
| 19 | a | Reopening of pits for avenue, Horticulture & Block Plantation | 13.37/- each | 15.01/- each | |
| | b | Fore shore plantation, Barren Hill Afforestation, Bio-Diesel | 6.50/- each | 7.30/- each | |
| | Bio Fencing / Brush wood fencing | | | | |
| 20 | a | Nurseries, block plantation and fore shore plantation including collection, transpotation and fixing at site | 26.31/- Rmt | 29.55/- Rmt | |
| | b | Avenue plantation including collection/ transportation and fixing the site (Size of 1m dia and 1.5 m height/providing tree guards with brush wood of prosopis juliflora/throny growth at radius of 0.50 m | 140.09/- Cum | 157.35/- Cum | |
| | c | Horticulture, for lands of SC-ST & assignee lands only | 2634.45/- acre | 2959.07/- acre | |
| | d | Horticulture fencing 1st & 2nd year maintanance SC-ST & Assignee lands only | 659.14/- acre | 740.36/- acre | |
| 21 | | Watering to the plants of block plantationby bringing the water from the sump constructed near by (where ever one sump is available per one acre) | 3.09/- plant | Proposed to be deleted , as watering is included in watch&ward | |
| 22 | | Watering the plants from hand pump/bore well/open well up to distance of 30mt | 4.36/- plant | | |
| 23 | | Watering the block plantation from the near by source i.e., bore well open well or kunta beyond 30mts distance | 5.44/- plant | | |
| 24 | | Hire charges of tractor mounted water tanker for filling sump | 482/- per one trip of 5000 ltrs capacity | 600/- per one trip of 5000 ltrs capacity | 600/- per One trip of 5000 Lts Capacity 1.80/- per time |
| | Individual Plantations - Watch & Ward | | | | |
| | Watch &ward charges including watering, protection from biotic pressure, weeding, soil working, pruing of lower brances, casuality replacement etc., | | | | |
| 25 | a | Teak bund / block plantations | Rs.5/- per month for each surviving plant | Rs.5/- per month for each surviving plant | No changes |
| | b | Eucalyptus clonal plantations | Rs.1/- per month for each surviving plant | Rs.1/- per month for each surviving plant | No changes |
| | c | Eetha plantations | Rs.5/- per month for each surviving plant | Rs.5/- per month for each surviving plant | No changes |
| | d | Horticulture plantations | Rs.15/- per month for each surviving plant | 15/- per month for each surviving plant | No changes |
| | Institutional Plantations - Watch & Ward | | | | |
| 26 | | Watch &ward charges including watering, protection from biotic pressure, weeding, soil working, pruing of lower brances, casuality replacement etc (cost of water will be provided separately) | Rs.5 per month for each surviving plant | 5/- per month for each surviving plant | No changes in Rates |
| 27 | Community Plantations - Watch & Ward | | | | |

| | | | | | |
|----|--|--|--|--|--------------------------------------|
| | | Watch &ward charges including watering, protection from biotic pressure, weeding, soil working, pruing of lower brances, casualty replacement etc (cost of water will be provided separately) | Rs.5/- per month for each surviving plant | 5/- per month for each surviving plant | No changes in Rates |
| 28 | Roadside Plantations - Watch & Ward | | | | |
| | | Watch &ward charges including watering, protection from biotic pressure, weeding, soil working, pruing of lower brances, casualty replacement etc (cost of water will be provided separately) | Rs.5275/- per month per 400 surviving plants | 5925/- per month 400 surviving plants | 237*25 days for 400 surviving plants |
| | Deep ploughing in | | | | |
| 29 | a | Fallow Lands and Hard Gravel soils (Depth not less than 0.3m) using ploughing tractors | 1741.33/- acre | 1955.51/- acre | |
| | b | Fallow land in ordinary soil using ploughing tractor depth not less than 0.3m | 1394.18/- acre | 1565.66/- acre | |
| | c | Cattle cultivator (Double ploughing) in ordinary soils | 1047.21/- acre | 1176.02/- acre | |
| 30 | | Shapening of crowbars | 10.00/- per day | 10.00/- per day | |
| 31 | | Basket Replenishment charges | 3.00/- per day | 3.00/- per day | |

Note: Any rate not available in the above RSSR can be adopted from CSSR / FSR rate excluding contractor profit & over head i.e., 13.615%, if any.

SANDEEP KUMAR SULTANIA
SECRETARY TO GOVERNMENT

//FORWARDED::BY ORDER//

SECTION OFFICER